EAST Search History

EAST Search History (Prior Art)

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------|------|-----------------------------------------------------------------------|-------------------------------------------------------|------------------|---------|------------------|
| L1 | 7 | (TUNING NEAR FORK) WITH MEASUR\$4 WITH BALANCE | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/12/19 22:56 |
| L2 | 70 | ((TUNING NEAR FORK) WITH MEASUR\$4).TI. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/12/19 22:58 |
| L3 | 2564 | ((TUNING NEAR FORK)).TI. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/12/19 22:59 |
| L4 | 21 | ((Tuning Near Pork) with Phase).Ti. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/12/19 22:59 |
| L5 | 117 | ((TUNING NEAR FORK) WITH ADJUST\$4).TI. | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/12/19 23:01 |
| L6 | 179 | (oscillator) WITH MEASUR\$4 WITH BALANCE | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/12/19 23:04 |
| S1 | 3268 | (endress-\$).as. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/03 10:06 |
| \$2 | 464 | (endress-\$).as. and (fork oscillat\$3 oscilat\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/03 10:06 |
| S3 | 1434 | (73/1.01,1.02,1.73,1.82,1.83).CCLS. | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2009/02/03 10:40 |
| S4 | 252 | S3 and (fork oscillat\$3 oscilat\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/03 10:43 |
| S5 | 22 | \$4 and ((detect\$4 measur\$4 sens\$4) with (travel\$4 propogat \$4)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/03 11:29 |

| S6 | 369 | [(tuning near fork) and ((detect\$4 measur\$4 sens\$4) with (travel \$4 propogat\$4)) | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/03 11:37 |
|-----|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|----|----|------------------|
| S7 | 267 | (tuning near fork) and ((detect\$4 measur\$4 sens\$4) with reaction) | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/03 11:55 |
| 38 | 26 | (tuning near fork) with ((detect\$4 measur\$4 sens\$4) with reaction) | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/03 12:01 |
| S9 | 6 | ((tuning near fork) with ((detect\$4 measur\$4 sens\$4) with (travel \$4 propogat\$4)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/03 12:03 |
| S10 | 3 | S4 and ((measur\$4 detect\$4 sens\$4) with housing with (vibration)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/03 12:05 |
| S11 | 8 | S3 and ((measur\$4 detect\$4 sens\$4) with housing with (vibration)) | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/03 12:07 |
| S12 | 1893 | ((tuning near fork) oscillator) with determin\$4 with function\$4 | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/03 12:11 |
| S13 | 1 | S12 and ((monitor\$4 detect\$4) with (vibration\$3) with (container housing)) | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/03 12:12 |
| S14 | 0 | S12 and (remot\$4 with (monitor\$4 detect\$4) with (vibration\$3)) | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/03 12:14 |
| S15 | 4 | 33 and (remoi\$4 with (monitor\$4 deted\$4) with (vibration\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/03 12:16 |
| S16 | 15 | ("3076343" "3120622" "3566163" "4441044" "4503351"). PN. OR ("4620446").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2009/02/03 13:09 |
| S17 | 26 | S3 and ((identify\$3 detect\$4 determin\$4) with defect\$4 with (sensor oscillat\$4 oscilat\$4 fork transducer)) | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/02/03 13:17 |
| S18 | 17 | ["20010022514" "20010047691" "20020154029" "2003009300" "20030167141" "20030233876" "20050256689" "4419900" "5184516" "5383133" "5774376" "6006163" "6076405" "6192759" "6370964" "6396262" "7006944"),PN. OR ("7246514"),URPN. | US PGPUB; USPAT; USOCR | OR | ON | 2009/02/03 13:22 |

| S19 | 2 | ("4620446").PN. | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2009/02/03 23:17 |
|-----|------|--------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|----|-----|------------------|
| S20 | 4 | (("6205855") or ("6484109")).PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2009/02/03 23:28 |
| S21 | 1479 | (73/1.01,1.02,1.73,1.82,1.83).CQLS. | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2009/07/16 14:33 |
| S22 | 26 | \$21 and ((identify\$3 detect\$4 determin\$4) with defect\$4 with (sensor oscillat\$4 oscilat\$4 fork transducer)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/07/16 14:33 |
| S23 | 87 | \$21 and ((monitor\$4 detect\$4) with vibration) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/07/16 14:36 |
| S24 | 13 | \$21 and ((monitor\$4 detect\$4) with vibration with (mount\$4 nut bolt securing)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/07/16 14:39 |
| S25 | 5861 | ((monitor\$4 detect\$4) with vibration with (mount\$4 nut bolt securing)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/07/16 14:43 |
| S26 | 2190 | ((monitor\$4 detect\$4) with vibration with (mount\$4 nut bolt securing) with sensor) | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/07/16 14:47 |
| S27 | 0 | ((monitor\$4 detect\$4) with vibration with (mount\$4 nut bolt securing) with \$21 and sensor) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/07/16 15:06 |
| S28 | 3 | \$21 and ((monitor\$4 detect\$4) with vibration with (mount\$4 nut bolt securing) with sensor) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/07/16 15:06 |
| S31 | 255 | (rogers-d\$).xa. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/07/17 10:46 |
| S32 | 1 | S31 and (tuning near fork) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/07/17 10:46 |
| S33 | 269 | (difoggio-r\$).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/07/17 10:50 |

| S34 | 35 | (difoggio-r\$).in. and tuning | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/07/17 11:00 |
|------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|----|-----|------------------|
| S35 | 18 | (difoggio-r\$).in. and tuning with resonator | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/07/17 11:35 |
| S36 | 8393 | tuning with resonator | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/07/17 11:36 |
| \$37 | 90 | tuning with resonator with coating | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/07/17 11:36 |
| S38 | 22 | tuning with resonator with ablat\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/07/17 11:53 |
| S41 | 2 | (°6647786°).PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2009/07/18 11:18 |
| S42 | 43 | three near (rod tine) with (oscillator resonat\$4) | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | ON | 2009/07/20 10:30 |
| S43 | 2 | (°6,698,297"),PN. | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2009/07/20 10:35 |
| S44 | 14 | [US-20060095223-\$ or US-20030056590-\$), did. or (US-7544464- \$ or US-7334452-\$ or US-6698287-\$ or US-6647786-\$ or US- 6389891-\$ or US-626322-\$ or US-6051783-\$ or US-5709558-\$ or US-5440455-\$ or US-4620446-\$), did. or (US-2520520-\$), did. or (JP-04369447-\$), did. | US PGPUB; USPAT; USOCR; JPO | OR | ON | 2009/07/20 10:36 |
| S45 | 11 | S44 and piezoelectric | US-PGPUB; USPAT; USOCR; JPO | OR | ON | 2009/07/20 10:36 |
| S46 | 0 | (tuning near fork) and (piezoelectic with (receiver sensor)) | US-PGPUB; USPAT; USOOR; JPO | OR | ON | 2009/07/20 10:39 |
| S47 | 890 | (tuning near fork) and (piezoelectric with (receiver sensor)) | US-PGPUB; USPAT; USOCR; JPO | OR | ON | 2009/07/20 10:39 |
| S48 | 234 | (tuning near fork) and (piezoelectric near (receiver sensor)) | US-PGPUB; USPAT; USOCR; JPO | OR | ON | 2009/07/20 10:39 |
| S49 | 4 | (("6205855") or ("6484109")).PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2009/07/20 10:55 |

| S51 | 1539 | (73/1.01,1.02,1.73,1.82,1.83).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/02/18 10:18 |
|-----|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|----|-----|------------------|
| S52 | 270 | S51 and (fork osdilat\$3 osdilat\$4) | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/02/18 10:19 |
| S53 | 23 | \$52 and ((detect\$4 measur\$4 sens\$4) with (travel\$4 propogat \$4)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/02/18 10:20 |
| S54 | 0 | ("(rogers-d\$).xa.andfork").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/06/30 22:25 |
| S55 | 8 | (rogers-d\$).xa. and fork | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/06/30 22:26 |
| S56 | 50 | ["20020088284" "3130808" "3346058" "3390737" "3449940" "3608715" "3760204" "3903732" "4526480" "4574639" "4602505" "4679427" "4729237" "4922745" "5006845" "5048351" "5204529" "5269188" "5361632" "5622223" "5734098" "5741962" "5837833" "6073492" "6128949" "6176323" "6182499" "6336353" "6357536" "6378364" "6393895" "6401519" "6494079").PN. OR | US-PGPUB; USPAT; USOCR | OR | ON | 2010/06/30 22:29 |
| S57 | 6 | "tuning fork" and ((burn\$4 ablat\$4) with (gold metal) with (layer coating)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/06/30 22:37 |
| S58 | 119 | resonator and ((burn\$4 ablat\$4) with (gold metal) with (layer coating)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/06/30 23:41 |
| S59 | 0 | (symyx-\$) as, and ((burn\$4 ablat\$4) with (gold metal) with (layer coating)) | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/06/30 23:44 |
| S60 | 1055 | (symyx-\$).as. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/06/30 23:44 |
| S61 | 7847 | oscillatorand ((burn\$4 ablat\$4) with (gold metal) with (layer coating)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/06/30 23:44 |
| S62 | 258 | oscillator and ((burn\$4 ablat\$4) with (gold metal) with (layer coating)) | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/06/30 23:44 |

| S63 | 16 | loscillator.ti. and ((burn\$4 ablat\$4) with (gold metal) with (layer coating)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/06/30 23:45 |
|-----|--------|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|----|-----|------------------|
| S64 | 63 | "tuning fork" and ((burn\$4 ablat\$4) with (layer coating)) | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/06/30 23:47 |
| S65 | 125441 | ("tuning fork" resonator oscillator).ti. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/07/01 09:56 |
| S66 | 92 | S85 and (("tuning fork" resonator oscillator) with mount\$4 with flange) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/07/01 09:56 |
| S67 | 2 | ("7444245").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | OFF | 2010/07/01 09:59 |
| S68 | 13 | ("20050086012" "4815323" "4975615" "5138886" "6360175" "6449566" "PE33837").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/07/01 12:35 |
| S69 | 683 | ((oscillator resonator "tuning fork") with three with (tines bars forks)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/07/01 12:37 |
| S70 | 8 | ("3106124" "3659230").PN. OR ("4007432").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2010/07/01 12:41 |
| S71 | 962 | (endress-\$).as. | US-PGPUB; USPAT; USOOR | OR | ON | 2010/07/01 12:48 |
| S72 | 369 | S71 and (oscillat\$3 resonat\$3 "tuning fork" trident) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/07/01 12:49 |
| S73 | 7 | ("20050086012" "4815323" "4975615" "5138886" "6360175" "6449566" "RE33837"),PN. OR ("7444245").URPN. | US-PGPUB; USPAT; USOOR | OR | ON | 2010/07/01 13:08 |
| S74 | 0 | "strain gague" with mounting near flange | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/07/01 14:48 |
| S75 | 9 | "strain gauge" with mounting near flange | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/07/01 14:48 |
| S76 | 5 | "strain gauge" with mounted near flange | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/07/01 14:52 |

| S77 | 41 | "strain gauge" with (mount\$4 near5 flange) | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/07/01 14:55 |
|------|--------|------------------------------------------------------------|-------------------------------------------------------|----|----|------------------|
| S78 | 371 | "strain gauge" with flange | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/07/01 15:00 |
| S79 | 1825 | "strain gauge" with accelerometer | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/07/01 15:06 |
| S80 | 46376 | "strain gauge" near4accelerometer | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/07/01 15:06 |
| S81 | 1278 | "strain gauge" near4 accelerometer | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/07/01 15:06 |
| \$82 | 778 | "strain gauge" near accelerometer | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/07/01 15:07 |
| S83 | 23 | "strain gauge" with monitor\$4 with vibrations with sensor | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/07/01 20:13 |
| S84 | 72 | "strain gauge" with monitor\$4 with vibrations | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/07/01 20:16 |
| S85 | 1 | "strain gauge" with vibrations with loos\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/07/01 20:22 |
| S86 | 328844 | "strain gauge" with vibrations with resonance wit | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/07/01 20:23 |
| \$87 | 17 | "strain gauge" with vibrations with resonance | US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/07/01 20:23 |
| S88 | 7 | "strain gauge" with monitor\$4 with resonance | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | OR | ON | 2010/07/01 20:32 |

EAST Search History (Interference)

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------|------|-------------------------------------------------------------------------------------------------|---------------------------------|---------------------|---------|---------------------|
| S29 | 1199 | (73/1.01,1.02,1.73,1.82,1.83).OQLS. | US- PGPUB; USPAT; UPAD | OR | OFF | 2009/07/16 15:08 |
| S30 | 3 | S29 and ((monitor\$4 detect\$4) with vibration with (mount\$4 nut bolt securing) with sensor) | US- PGPUB; USPAT; UPAD | OR | ON | 2009/07/16 15:09 |
| S39 | 3624 | (73/1.01,1.02,1.73,1.82,1.83,504.12,504.15,504.16,430,866.5).CQLS. | US- PGPUB; USPAT; UPAD | OR | OFF | 2009/07/17 09:52 |
| S40 | 52 | \$39 and ((monitor\$4 detect\$4) with vibration with (mount\$4 nut bolt securing) with sensor) | US- PGPUB; USPAT; UPAD | OR | ON | 2009/07/17 09:53 |
| S50 | 1 | "Term Removed" | US-PGPUB | OR | ON | 2009/07/20 10:36 |

^{12/19/10 11:23:56} PM

C:\ Documents and Settings\ drogers\ My Documents\ EAST\ Workspaces\ 10\ 5\ 10583096.wsp